

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/007191	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:11
S2	262	driver and receiver and terminat\$3 with network\$3 and filter\$3 with network\$3 and clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:12
S3	32	clock with driver and receiver and terminat\$3 with network\$3 and filter\$3 with network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:59
S5	5	driver and receiver and terminat\$3 with network\$3 with program\$5 and filter\$3 with network\$3 and clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:14
S6	4	clock with driver and receiver and terminat\$3 with network\$3 with program\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:19
S7	4	driver and receiver and program\$5 adj2 terminat\$3 adj2 network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:35
S8	25	"5517650"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:24
S10	1	"5517650" and program\$7 with terminat\$4 adj2 network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:26
S11	19	driver and receiver and program\$5 adj2 terminat\$3 with network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:35
S12	0	clock with enable with driver and receiver and program\$5 adj2 terminat\$3 with network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:36

S13	0	clock with enable and driver and receiver and program\$5 adj2 terminat\$3 with network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:36
S14	83	clock with enable\$3 and driver and receiver and terminat\$3 adj2 network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 07:36
S15	11	clock with enable\$3 with driver and receiver and terminat\$3 adj2 network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 10:53
S16	0	clock with enable\$3 with (driver and receiver) and terminat\$3 adj2 network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:32
S17	8	"5761246"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:33
S18	20	"3993867"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:21
S19	1	"5539846".PN.	USPAT; USOCR	OR	ON	2005/03/11 11:34
S20	1	"5469430".PN.	USPAT; USOCR	OR	ON	2005/03/11 11:34
S21	1	"5349585".PN.	USPAT; USOCR	OR	ON	2005/03/11 11:35
S22	1	"5058131".PN.	USPAT; USOCR	OR	ON	2005/03/11 11:35
S23	1	"5034964".PN.	USPAT; USOCR	OR	ON	2005/03/11 11:36
S24	1	"4916657".PN.	USPAT; USOCR	OR	ON	2005/03/11 11:37
S25	1	"4620310".PN.	USPAT; USOCR	OR	ON	2005/03/11 11:37
S26	1	"4595923".PN.	USPAT; USOCR	OR	ON	2005/03/11 11:39
S27	1	"3832494".PN.	USPAT; USOCR	OR	ON	2005/03/11 11:39
S28	0	"3993867" and program\$6 with terminat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 11:58

S29	64	transmission adj2 line with program\$6 with terminat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:54
S31	2	transmission adj2 line with program\$6 with terminat\$3 and driver same clock with enabl\$3 and receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 12:01
S32	5	transmission adj2 line with program\$6 with terminat\$3 and driver same clock and receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 13:32
S33	41	"5726583"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 12:03
S34	2	"5726583" and program\$6 with termination with transmission adj1 line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 12:04
S36	1	"5726583" and program\$6 with termination and driver with clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 12:05
S37	0	transmission adj2 line with program\$6 with terminat\$3 and driver with clock adj1 enabl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 12:08
S38	2	transmission adj2 line with program\$6 with terminat\$3 and driver with clock with (enabl\$3 or respon\$5 or activat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 12:09
S39	3	transmission adj2 line with program\$6 with terminat\$3 and driver same clock and receiver and filter\$3 with reference adj2 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 13:35
S40	5	transmission adj2 line with program\$6 with terminat\$3 and driver and receiver and filter\$3 with reference adj2 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 13:36
S41	16	transmission adj2 line with terminat\$3 and driver and receiver and filter\$3 with reference adj2 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 13:37

S42	2	"3993867".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:30
S43	58	program\$6 adj2 terminat\$4 and resist\$4 with network\$3 with divid\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:33
S44	4	program\$6 adj2 terminat\$4 and resist\$4 with network\$3 with divid\$3 and transmission adj2 line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 15:35
S45	1	clock with driver and receiver and terminat\$3 with network\$3 with program\$5 and filter\$3 with network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 07:09
S46	9	(clock and driver) with transmission adj1 line and receiver and terminat\$3 adj2 network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 07:38
S47	1	((clock and driver) with transmission adj1 line) with reference with network and receiver and terminat\$3 adj2 network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 07:38
S48	12	transmission adj2 line with program\$6 with terminat\$3 with (IC or chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 09:00
S49	4	transmission adj2 line and program\$6 with terminat\$3 with receiver with (IC or chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 09:05
S51	1	transmission adj2 line and program\$6 with ((terminat\$3 with network and receiver) with (IC or chip))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 09:08
S52	1	program\$6 with ((terminat\$3 with network and receiver) with (IC or chip))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 09:08
S53	0	(clock with driver and receiver and terminat\$3 with network\$3 and filter\$3 with network\$3) with CPU	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:00

S54	3	(clock with driver and receiver and terminat\$3 with network\$3) with CPU	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:00
S55	2	(clock with driver and receiver and terminat\$3 with network\$3) with CPU and ram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:06
S56	1	(clock with driver and receiver and terminat\$3 with network\$3) with CPU and ram and transmission adj1 line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:06
S57	8	(clock with driver and receiver) with CPU and ram and transmission adj1 line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:08
S59	3	(clock with driver and receiver) with (CPU with compris\$3) and ram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:45
S60	5	((clock with driver and receiver) with ((CPU or DSP or ASIC or IC) with compris\$3)) and ram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:45